

**EPCRA OFF-SITE PLAN FOR**  
 La Crosse Municipal Well #26H  
 3246 Airport Road  
 La Crosse WI 54603

**I. FACILITY NAME:**  
 La Crosse Municipal Well #26H  
 3246 Airport Road  
 La Crosse WI 54603-1253  
 608-789-7385  
 Facility ID # Assigned by WEM: **004793-1**

<b>II. FACILITY COORDINATOR:</b>	<b>ALTERNATE COORDINATOR:</b>
Lee Anderson	Mark Johnson
Water Superintendent	Utilities Manager
Telephone Number:	Telephone Number:
608-789-7385 (w)	608-789-7536 (w)
608-498-6616 (personal cell phone)	608-792-0498 (c)

**III. CHEMICALS ON SITE: EXTREMELY HAZARDOUS SUBSTANCES**

<u>CAS #</u>	<u>Chemical/ Trade Name</u>	<u>Max. Amt.</u>	<u>Vul. Zone</u>	<u>Rural/ Urban</u>
7782-50-5	Chlorine	600-lbs. (Four 150-lb. cylinders)	2.2 miles	Urban

**OTHER HAZARDOUS CHEMICALS:**

None

**IV. PRIMARY EMERGENCY RESPONDERS:**  
 Wisconsin Regional Type I Hazardous Materials Response Team  
 La Crosse County Type II Hazardous Materials Response Team  
 La Crosse Water Department Facility Crew  
 La Crosse Police Department  
 La Crosse County Sheriff's Department  
 Wisconsin State Patrol  
 Wisconsin Department of Natural Resources  
 La Crosse County Emergency Management  
 Tri-State Ambulance

**V. SUPPORT AVAILABLE FROM FACILITY:**

Facility Crew can be called in by radio to support the La Crosse Fire Department. La Crosse Fire Department has a cylinder containment kit.

**OUTSIDE RESOURCES AVAILABLE:**

The La Crosse Fire Department serves as La Crosse County's Type II Hazardous Materials Response Team. For Type I incidents, contact the West Central Regional Hazardous Materials Response Team through the Wisconsin Emergency Management Duty Office (1-800-943-0003).

CHEMTREC	800-424-9300
Georgia-Pacific	206-733-4410
Hydrite Chemical Company	608-784-0024

The Water Utility solicits annual quotations for chemical supply. Hydrite Chemical Company is the current (2014) supplier of chlorine and for the La Crosse Water Utility.

Hydrite Chemical Company  
701 Sumner Street  
La Crosse, WI 54603  
Phone: 608-784-0024  
Fax: 608-785-2990

**VI. GENERAL INFORMATION AND ASSUMPTIONS: (Disclaimer)**

The vulnerability zones set forth in this Plan are based on the EPA Technical Guidance for Hazards Analysis. The zones are based on a credible worst case scenario and identify the potential area for impact should an air-borne release of a single EHS chemical occur.

The vulnerability zones are NOT intended to be used as a guide for population protection in fire-related incidents. Fire incidents were considered in the development of this plan and the plan provides basic information about the facility for first responders to employ. However, in an actual fire situation at this facility, the Incident Commander is strongly recommended to reference the fire department's own individual agency pre-emergency plans and standard operating procedures as well as the County's Emergency Operations Plan - Annex K: Fire and Rescue, as they may relate to this facility when making decisions at an incident involving fire.

Further, fire departments that would respond to an incident at this facility are strongly encouraged to meet with facility representatives to determine ways to minimize an event at the facility and to determine what additional information and factors should be taken into consideration in the event of a fire, should one occur.

The field incident commander shall determine the actual response to an incident and the affected area may vary from the planning vulnerability zone identified in this Plan. Depending on wind speed and direction, the amount of material released and other pertinent factors, the ACTUAL vulnerability zone may be smaller, and in some instances larger, than the credible worst case vulnerability zone identified herein.

The vulnerability zones determined in this Plan are for general PLANNING PURPOSES.

### STATE REPORTING REQUIREMENTS:

#### Wisconsin Statute §292.11 WISCONSIN SPILL LAW

The spill law, Chapter 292.11, Wis. Stats., requires that a person who possesses or controls a hazardous substance or who causes the discharge of a hazardous substance shall notify the department **immediately** of any discharge not exempted by the statute. The Department has a 24-hour toll free number for reporting spills: **1-800-943-0003**.

#### Chapter NR 706 Wisconsin Administrative Code

Ch. NR 706, Wis. Adm. Code establishes exemptions for small quantity spills of agricultural and petroleum related compounds, as well as substances that have a federal reportable quantity established. These quantities are termed "de minimis" in that below these levels, under the following conditions, state notification of a discharge is not required. While reporting requirements may be exempted, **cleanup requirements remain**. If a discharge meets one of the following de-minimis exemptions **it must be reported to the Wisconsin DNR**:

1. Has not evaporated or been cleaned up in accordance with NR 700 – 726,
2. Adversely impacts or THREATENS to adversely impact the environment,
3. Causes or THREATENS to cause chronic and/or acute human health impacts, or
4. Presents or THREATENS to present a fire or explosion hazard or other safety hazard (including all evacuations)

### VII. HAZARD ANALYSIS SUMMARY:

The La Crosse Municipal Well #26H could have upwards of two employees at the facility during an event. The facility is located toward the very north end of Airport Road, approximately 1/4 mile east of Lakeshore Drive and is adjacent to the Airport property.

A portion of the 2.2 mile vulnerability zone lies over Lake Onalaska, which is the dam pool above Lock & Dam #7 on the Mississippi River. Significant seasonal recreational and commercial boat traffic is present within this area. Special consideration must be made to provide alert and notification to those on the waterway. The County Emergency Dispatch Center has two-way radio communication capability on certain Marine Band (Coast Guard) radio channels.

Three 150-lb. cylinders of chlorine are in a separate chlorine room on the southeast side of the building. Two of the 150-lb. cylinders are connected to the system.

An accidental release would most likely occur due to failure or malfunction of tank valves during changeover operations.

The vulnerability zone for this facility was based on a worst case scenario for a release of one 150-lb. cylinder of chlorine and was computed using CAMEO software. The parameters used in the analysis were:

<b>EHS Chemical:</b>	<b>Chlorine</b>
Form:	Gas
Container Size:	150-lbs.
Concentration:	100%

Level of Concern: 1/10 IDLH  
 Duration of Release: 10 minutes

**WORST CASE SCENARIO:**

Rural  
 Wind Speed: 3.4 mph  
 Atmos. Stability Class: F  
 Vulnerability Zone: 2.2 miles

**RE-EVALUATION SCENARIO:**

Rural or Urban: Urban  
 Wind Speed: 11.9 mph  
 Atmos. Stability Class: D  
 Vulnerability Zone: 0.1 miles

Approximately 10,053 residents would be affected if the worst case scenario were to occur.

**VIII. SPECIAL FACILITIES AFFECTED:**

See the Special Facilities attachment for a comprehensive list of schools, day care centers, government facilities, health care facilities and others that are present within the 2.2 mile vulnerability zone for Well #26.

**IX. POPULATION PROTECTION:**

The on-scene commander will make the determination to shelter in place or to evacuate as appropriate. The lead-time for a hazardous materials incident may be very short. Consequently, there may not be time enough for safe evacuation, especially when extremely toxic chemical fumes are involved. An evacuation under these considerations may expose the population to dangerous toxic chemicals and the decision may be made to shelter in place. Preferred areas for protective sheltering would be interior hallways, rooms without windows or exterior doors, enclosed stairways and rooms on the side of the building away from where the hazard is approaching. Doors, windows, and other potential air leaks should be sealed up to prevent toxic fumes from entering.

Experience indicates that shelter space would need to be provided for only 30% of the population within the initial isolation and evacuation zones and the remaining 70% would seek shelter with family and friends outside of the risk zone.

Roles and responsibilities relative to evacuation and sheltering as well as a list of shelters appear in the La Crosse County Emergency Operations Plan, Annex E.

**X. SPECIAL CONSIDERATIONS:**

There are several businesses located in the Airport Industrial Park, an area just west of the main airport terminal. The incident commander will have to take into account the possible evacuation of these businesses as well as the Airport Terminal.

Commercial and recreational boating traffic, marine and wildlife could be affected on the nearby Mississippi River and the Black River. The Wisconsin Department of Natural Resources, U.S.

Coast Guard and the U.S. Fish and Wildlife Services should be notified to assist in environmental and navigational problems.

Coast Guard Group UMR            319-524-7511

The local 24-hour National Weather Service, County Public Safety Communications (9-1-1 Dispatch Center), and local radio and TV stations could issue warnings to the population.

**NOTE:** There are no local ordinances in La Crosse County which mandate specific routes for vehicles carrying Extremely Hazardous Substances (EHSs). Thus, EHSs may be transported over any local, state, or federal highway for which weight limits are met.